



Mainlube Superior Maintenance Lubricants Pty Ltd

14 Underwood Ave, Botany NSW, 2019
Ph 02-9700-0880. ACN No. 001 748 876 Fax 02-9700-0881.

STATEMENT OF HAZARDOUS NATURE

Non Hazardous According to Criteria of Worksafe Australia

MATERIAL SAFETY DATA SHEET MAINLUBE 113

IDENTIFICATION

Page 1 of 3
Nov-13

Product Name:	Mainlube 113
Chemical Name:	Food Grade Synthetic High Performance Lubricant.
Other Names:	Synthetic Polyalphaolefin Lubricant
Manufacturer's Product Code:	113
UN Number:	None Assigned
Dangerous Goods Class	None Assigned
Subsidiary Risk[s]:	Not Applicable
Hazchem Code:	None Assigned
EPG NO:	None Assigned
Poisons Schedule Number:	None Assigned
Toxic and Hazardous	
Ingredients:	None
Uses:	Food Grade Synthetic High Performance Lubricant.

PHYSICAL DESCRIPTION AND PROPERTIES

Colour:	Clear Water White
Appearance:	Clear Colourless Liquid.
Form:	Liquid
Boiling Point:	>260°C
Melting Point:	Not Applicable
Vapour Pressure:	No Data
Specific Gravity:	kg/L @ 15.0°C: 0.855 approx
Volatiles:	No Data
Evaporation Rate:	No Data
Vapour Density:	No Data
Odour:	Almost Odourless
Solubility in Water:	Nil @ 25°C

FLASH POINT

Solvent:	Not Applicable
Lubricant residue:	260°C
Flammability Limits:	No Data
Auto ignition:	
Temperature:	>450°C

MATERIAL SAFETY DATA SHEET MAINLUBE 113

INGREDIENTS

Page 2 of 3
Nov-13

Chemical Name	CAS Number	Proportion
Polyalphaolefin	68037-01-4	<97%
Proprietary Additives	US FDA Approved for Incidental Food Contact	<5%

HEALTH HAZARD INFORMATION

HEALTH EFFECTS:

Acute:

Swallowed:	No effect if small amount swallowed
Skin:	Expected to cause no more than a minor irritation
Eyes:	Expected to cause no more than a minor irritation
Inhaled:	None expected

Chronic:

LC 50:	No Data
LD 50:	No Data

FIRST AID:

Swallowed:	Consult physician if a large amount is swallowed.
Skin:	Wash with water. Remove contaminated clothing
Eyes:	Flush with water for at least 15 minutes
Inhaled:	Not Applicable

FIRST AID FACILITIES:

ADVICE TO DOCTOR:

Comments:	Product is non-corrosive. A hazard warning statement is not required for this product under OSHA communication (29 CFR 1910.1200).
-----------	---

PRECAUTIONS FOR USE

Exposure Standards:	No upper limit known. Federal OSHA exposure standard and the ACGIH (1986-87) TLV for mineral oil mists is 5mg/m ³ for a daily 8 hours exposure.
Engineering Controls:	Not Applicable
Personal Protection:	Not required.
Flammability:	Product is not classed flammable. Flash Point greater than 250°C Product may support combustion.

MATERIAL SAFETY DATA SHEET MAINLUBE 113

SAFE HANDLING INFORMATION

Page 3 of 3
Nov-13

Storage and Transport:	Store in steel. HDPE, HDPP.
Storage Temperature:	None Assigned
UN Class:	None Assigned
Packaging Group:	None Assigned
UN Number:	None Assigned
EPG Number:	None Assigned
Correct Shipping Name:	Food Grade Synthetic High performance Lubricant.
Spills and Disposals:	Prevent entry into sewers and waterways.
Note:	Product may be slippery. Dispose of as per load regulations.
Fire/Explosion Hazard:	Not a fire hazard. Auto ignition temperature is in excess of 450°C. Should fire occur, however, use dry chemical, foam or carbon dioxide to extinguish.
Decomposition Products:	Not Applicable
Hazchem Code:	Not Applicable
Extinguishant:	Dry chemical, foam or carbon dioxide.

DANGER OF VIOLENT REACTION OR EXPLOSION: NO

Protective Clothing;	Applicable to degree of fire.
Appropriate Measures;	No Data
Evacuate;	Not Usually

OTHER INFORMATION:

Hazardous polymerisation will not occur. Evaporation 2.7% mass 6.5 hours at 204°C. Vapour Pressure 0.1 mm Hg at 232°C.

CONTACT POINT:

Mr Steve Simmonds
Mainlube Superior Maintenance Lubricants Pty Ltd.
14 Underwood Ave, Botany. NSW, 2019, Australia
Ph 02-9700-0880. Fax 02-9700-0881.
Mob 0412-644-244.

24 Hour Emergency Tel No. Above Mobile Phones

Emergency Services Dial 000

We believe the statement, technical information and recommendation contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assure no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.