



Printed Date: 03/12/19

# SAFETY DATA SHEET

According to Safe Work Australia

## 1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

**Product Name:** MAINLUBE 515 RUST CONVERTER AND STEEL PREPARER

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:**

For converting rust to a stable compound and preventing further rust

**Details of Manufacturer or Importer:**

Mainlube Superior Maintenance Lubricants Pty Ltd  
P O Box 353 Botany, 3/4 10 Anderson Street  
Banksmeadow NSW 2019, Australia

**Phone Number:** 02 8385 8328

**Emergency telephone number:** 0412 644 244

## 2 . HAZARDS IDENTIFICATION

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

**Signal Word** Danger

**Hazard Statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**Precautionary Statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P234 Keep only in original container.

P264 Wash hands thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)



# SAFETY DATA SHEET

According to Safe Work Australia

Product Name: MAINLUBE 515 RUST CONVERTER AND STEEL PREPARER

(Contd. of page 1)

## 3 . COMPOSITION AND INFORMATION ON INGREDIENTS

### Chemical Characterization: Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

### Hazardous Components:

7664-38-2	Phosphoric acid	Skin Corr. 1B, H314	<60%
-----------	-----------------	---------------------	------

## 4 . FIRST AID MEASURES

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

### Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention.

### Ingestion:

If swallowed, do not induce vomiting. Rinse mouth with water. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

### Symptoms Caused by Exposure:

Inhalation: Overexposure may cause irritation of the nose and throat, coughing, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema.

Skin Contact: Causes redness, pain and burns.

Eye Contact: Causes lacrimation, pain, redness and burns.

Ingestion: May cause ulceration and burns to the mouth and throat, nausea, vomiting, abdominal pain and diarrhoea.

## 5 . FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Specific Hazards Arising from the Chemical:

Hazardous combustion products include phosphorus oxides. Contact with most metals may evolve flammable hydrogen gas.

### Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 . ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear an approved respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapour. Ensure adequate ventilation.

### Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

(Contd. on page 3)



# SAFETY DATA SHEET

According to Safe Work Australia

Product Name: MAINLUBE 515 RUST CONVERTER AND STEEL PREPARER

(Contd. of page 2)

## 7 . HANDLING AND STORAGE

### Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

### Conditions for Safe Storage:

Store in a cool, dry, well ventilated area in original container, tightly closed when not in use. Protect from heat, sparks and other sources of ignition. Keep away from oxidising agents, alkalis and active metals. Protect from physical damage. Check regularly for leaks or spills.

## 8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure Standards:

#### 7664-38-2 Phosphoric acid

NES	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
-----	---

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

### Respiratory Protection:

Use a Type B respirator for inorganic gases and vapours under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

### Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

### Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 . PHYSICAL AND CHEMICAL PROPERTIES

### Appearance:

Form:	Liquid
Colour:	Clear, colourless
Odour:	Odourless
Odour Threshold:	Odourless
pH-Value:	Not determined.
Melting point/Melting range:	0 °C (water)
Initial Boiling Point/Boiling Range:	100 °C (water)

(Contd. on page 4)



# SAFETY DATA SHEET

According to Safe Work Australia

Product Name: MAINLUBE 515 RUST CONVERTER AND STEEL PREPARER

(Contd. of page 3)

Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	Not determined.
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	Not determined.
Density:	Not determined.
Relative Density at 20 °C:	1.33-1.80
Vapour Density:	Not determined.
Evaporation Rate:	Not determined.
Solubility in Water:	Soluble in water
Partition Coefficient (n-octanol/water):	Not determined.

## 10 . STABILITY AND REACTIVITY

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

**Conditions to Avoid:** Heat, sparks, open flames and other sources of ignition.

**Incompatible Materials:** Oxidising agents (eg. hypochlorites), alkalis (eg. hydroxides) and metals.

**Hazardous Decomposition Products:**

Phosphorus oxides. Contact with most metals may evolve flammable hydrogen gas.

## 11 . TOXICOLOGICAL INFORMATION

**Toxicity:**

**LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:**

**7664-38-2 Phosphoric acid**

Oral	LD <sub>50</sub>	1530 mg/kg (rat)
Dermal	LD <sub>50</sub>	2740 mg/kg (rabbit)
Inhalation	LC <sub>50</sub> /1 h	>850 mg/m <sup>3</sup> (rat)

**Acute Health Effects**

**Inhalation:**

Overexposure may cause irritation of the nose and throat, coughing, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema.

**Skin:** Causes redness, pain and burns.

**Eye:** Causes lacrimation, pain, redness and burns.

**Ingestion:**

May cause ulceration and burns to the mouth and throat, nausea, vomiting, abdominal pain and diarrhoea.

**Skin Corrosion / Irritation:** Causes severe skin burns.

**Serious Eye Damage / Irritation:** Causes serious eye damage.

**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

(Contd. on page 5)



# SAFETY DATA SHEET

According to Safe Work Australia

Product Name: MAINLUBE 515 RUST CONVERTER AND STEEL PREPARER

(Contd. of page 4)

**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.

## 12 . ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available

**Aquatic toxicity:** Phosphoric acid is hazardous to aquatic life at high concentrations

**Persistence and Degradability:** The phosphate may persist indefinitely.

**Bioaccumulative Potential:** No information available

**Mobility in Soil:**

When spilled onto soil, it will permeate downward, and may dissolve some of the soil matter, especially carbonate-based materials.

## 13 . DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.

**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 . TRANSPORT INFORMATION

<b>UN Number</b> ADG, IMDG, IATA	UN1805
<b>Proper Shipping Name</b> ADG IMDG, IATA	1805 PHOSPHORIC ACID, SOLUTION PHOSPHORIC ACID, SOLUTION
<b>Dangerous Goods Class</b> ADG Class: IMDG Class:	8 (C1) Corrosive substances. 8 Corrosive substances.
<b>Packing Group:</b> ADG, IMDG, IATA	III
<b>Marine pollutant:</b>	No
<b>EMS Number:</b>	F-A,S-B
<b>Hazchem Code:</b>	2R
<b>Special Provisions:</b>	223
<b>Limited Quantities:</b>	5L
<b>Packagings &amp; IBCs - Packing Instruction:</b>	P001, IBC03, LP01
<b>Packagings &amp; IBCs - Special Packing Provisions:</b>	Not applicable
<b>Portable Tanks &amp; Bulk Containers - Instructions:</b>	T4
<b>Portable Tanks &amp; Bulk Containers - Special Provisions:</b>	TP1

(Contd. on page 6)



# SAFETY DATA SHEET

According to Safe Work Australia

Product Name: MAINLUBE 515 RUST CONVERTER AND STEEL PREPARER

(Contd. of page 5)

## 15 . REGULATORY INFORMATION

### Australian Inventory of Chemical Substances:

7664-38-2 Phosphoric acid

### Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

## 16 . OTHER INFORMATION

Prepared by: MSDS.COM.AU Pty Ltd

[www.msds.com.au](http://www.msds.com.au)

### Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC<sub>50</sub>: Lethal concentration, 50 percent

LD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals "

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Mainlube Superior Maintenance Lubricants Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.